



PPG INSTITUTE OF TECHNOLOGY

NH – 209, Sathy Road, Saravanampatti, Coimbatore – 641 035
(Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai)

UGC Recognized | ISO 9001:2015 Certified Institution



PARENTS FEEDBACK ANALYSIS REPORT



PPG INSTITUTE OF TECHNOLOGY

NH – 209, Sathy Road, Saravanampatti, Coimbatore – 641 035
(Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai)
UGC Recognized I ISO 9001:2015 Certified Institution



STAKEHOLDERS FEEDBACK ANALYSIS REPORT

28.06.2024

Parents Feedback Analysis Report (2023-24):

Feedback on various aspects of the curriculum, academic performance and ambience of the institution is sought from 90 Parents of the students who studying in our PPG Institute of Technology.

S. No	Questions	Response in Numbers				
		Excellent	Good	Average	Fair	Poor
Q1	Knowledge and skills acquired by your ward from the course.	88	2	0	0	0
Q2	Teaching Quality of the Institution.	85	5	0	0	0
Q3	Caring and Counseling offered by the Tutors and Class Advisor.	86	4	0	0	0
Q4	Facilities for Training and Placement.	84	6	0	0	0
Q5	Intimation to Parent about Ward's Attendance, Progress and Performance.	87	3	0	0	0
Q6	Value added courses offered by the institution.	86	4	0	0	0
Q7	Motivation in Co-curricular, Extracurricular and other activities which include community services like NSS, NCC, Yrc etc.	85	5	0	0	0
Q8	College Infrastructure facilities like labs, classrooms, auditorium and canteen facilities.	88	2	0	0	0
Q9	College Transport Facility and Hostel Facility.	88	2	0	0	0
Q10	Your overall assessment of the college contribution for your ward performance.	87	3	0	0	0



PPG INSTITUTE OF TECHNOLOGY

NH – 209, Sathy Road, Saravanampatti, Coimbatore – 641 035
(Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai)

UGC Recognized I ISO 9001:2015 Certified Institution




S. No	Questions	Response in %				
		Excellent	Good	Average	Fair	Poor
Q1	Knowledge and skills acquired by your ward from the course.	97.8	2.2	0.0	0.0	0.0
Q2	Teaching Quality of the Institution.	94.4	5.6	0.0	0.0	0.0
Q3	Caring and Counseling offered by the Tutors and Class Advisor.	95.6	4.4	0.0	0.0	0.0
Q4	Facilities for Training and Placement.	93.3	6.7	0.0	0.0	0.0
Q5	Intimation to Parent about Ward's Attendance, Progress and Performance.	96.7	3.3	0.0	0.0	0.0
Q6	Value added courses offered by the institution.	95.6	4.4	0.0	0.0	0.0
Q7	Motivation in Co-curricular, Extracurricular and other activities which include community services like NSS, NCC, Yrc etc.	94.4	5.6	0.0	0.0	0.0
Q8	College Infrastructure facilities like labs, classrooms, auditorium and canteen facilities.	97.8	2.2	0.0	0.0	0.0
Q9	College Transport Facility and Hostel Facility.	97.8	2.2	0.0	0.0	0.0
Q10	Your overall assessment of the college contribution for your ward performance.	96.7	3.3	0.0	0.0	0.0
AVERAGE SCORE		96.0	4.0	0.0	0.0	0.0



PPG INSTITUTE OF TECHNOLOGY

NH – 209, Sathy Road, Saravanampatti, Coimbatore – 641 035
(Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai)

UGC Recognized I ISO 9001:2015 Certified Institution



Feedback Summary:

- Most parents (96%) said the facilities at the institution are excellent, while 4% rated them as good. Our Institute received an excellent rating for providing knowledge and skills to the students, as reported by 97.8% of parents.


IQAC CO-ORDINATOR




PRINCIPAL

Dr. S. NANDHAKUMAR
PRINCIPAL
PPG Institute of Technology
Sathy Road, Saravanampatti Post
Coimbatore - 641 035
Tamil Nadu, India.